

Appropriateness of Opioid Use in Skilled Nursing Facilities



By: Austin Haugstuen

Objectives

1. Evaluate the Risks and Benefits of opiate use in Skilled Nursing Facilities (SNF)
2. List the alternatives to opiate use in pain management
3. Assess control and accountability for opiate acquisition and possession in a SNF setting

References:

1. Hunnicutt, J., Chrysanthopoulou, S., Ulbricht, C., Hume, A., Tjia, J., & Lapane, K. (n.d.). Prevalence of Long-Term Opioid Use in Long-Stay Nursing Home Residents. *Journal of the American Geriatrics Society*, 66(1), 48-55.
2. Hanlon, J., Zhao, X., Naples, J., Aspinall, S., Perera, S., Nace, D., . . . Thorpe, C. (n.d.). Central Nervous System Medication Burden and Serious Falls in Older Nursing Home Residents. *Journal of the American Geriatrics Society*, 65(6), 1183-1189.
3. Allen, C., Zarowitz, B., O'Shea, T., Datto, C., & Olufade, T. (n.d.). Clinical and Functional Characteristics of Nursing Facility Residents with Opioid-Induced Constipation. *Consult Pharm*, 32(5), 285-298. Outstanding in ILLIAD
4. American Geriatrics Society Panel on the Pharmacological Management of Persistent Pain in Older Persons. Pharmacological Management of Persistent Pain in Older Persons. *J Am Geriatr Soc*. 2009 Aug;57(8):1331-46. doi: 10.1111/j.1532-5415.2009.02376.x. Epub 2009 Jul 2.
5. Manchikanti L, Kaye AM, Knezevic NN, et al. Responsible, Safe, and Effective Prescription of Opioids for Chronic Non-Cancer Pain: American Society of Interventional Pain Physicians (ASIPP) Guidelines. *Pain Physician*. 2017 Feb;20(2S):S3-S92
6. Dowell D, Haegerich TM, Chou R. CDC Guideline for Prescribing Opioids for Chronic Pain--United States, 2016. *MMWR Recomm Rep* 2016 Mar 18;65(1):1
- 7.