

Maternity Care in the United States. National Partnership for Women & Families (Feb. 2020):
<https://www.nationalpartnership.org/our-work/resources/health-care/maternity-care-in-the-united.pdf>

Hung, P, Henning-Smith, C.E, Casey, M.M, Kozhimannil, K.B. (2017). Access To Obstetric Services In Rural Counties Still Declining, With 9 Percent Losing Services, 2004-14. Health Affairs, 36, No. 9 (2017): 1663-1671. DOI:
<https://www.healthaffairs.org/doi/10.1377/hlthaff.2017.0338>

Ensuring Access to High-Quality Maternity Care in Rural America. Women's Health Issues Journal, 26-3 (2016), 247-250:
<https://www.whijournal.com/action/showPdf?pii=S1049-3867%2816%2900023-2>

South Dakota Department of Health. (2017). Natality. 2017 South Dakota Vital Statistics Report: A State and County Comparison of Leading Health Indicators. Retrieved from: <https://doh.sd.gov/statistics/2017Vital/Natality.pdf>

South Dakota Department of Health (2018). 2018 Prams Surveillance Data Report. Retrieved from:
<https://doh.sd.gov/statistics/prams.aspx>

South Dakota Department of Health. (2016). PRAMS-Like Survey. Pregnancy Risk Assessment Monitoring System, Retrieved from: <https://doh.sd.gov/statistics/prams.aspx>

Kozhimannil K, Casey C, Hung P, Prasad S, Moscovice I. The Obstetric Care Workforce in Critical Access Hospitals (CAHs) and Rural Non-CAHs. University of Minnesota Rural Health Research Center, November, 2014. http://rhrc.umn.edu/wp-content/files_mf/obworkforcepolicybrief.pdf

Patterson DG, Andrilla CHA, Garberson L. Preparing physicians for rural practice: the availability of rural training and content in rural-centric residency programs. J Grad Med Educ. 2019;11(5):550-557. <https://doi.org/10.4300/JGME-D-18-01079.1>

Cullen, J. (2021) .Family Physicians Ability to Perform Cesarean Sections Can Reduce Maternal and Infant Mortality. The Journal of the American Board of Family Medicine. January 2021, 34 (1) 6-9;DOI: <https://doi.org/10.3122/jabfm.2021.01.200612>

Abramowicz JS, Sherer DM, Bar-Tov E, Woods JR Jr. The cheek-to-cheek diameter in the ultrasonographic assessment of fetal growth. Am J Obstet Gynecol 1991; 165:846.

Abramowicz JS and Sheiner E: In utero imaging of the placenta: importance for diseases of pregnancy. Placenta 2007;28:S14-S22.

Assali NS et al.: *Placental insufficiency, problems of etiology, diagnosis and management. Eur J Obstet Gynecol Reprod Biol* 1975; 5:87

Baschat AA et al. *Relationship between arterial and venous Doppler and perinatal outcome in fetal growth restriction 2000, 16:407-413.*

Baschat AA et al.: *Doppler and biophysical assessment in growth restricted fetuses: distribution of tests results. Ultrasound Obstet Gynecol* 2006;27:41-7

Baschat AA: *Fetal growth disorders in James, Steer, Weiner, Gonick, Crowther, Robson (eds.):High Risk Pregnancies Management Options. Elsevier, 2011*

Claussion B et al,: *Perinatal outcome in SGA births defined by customized versus population based birth weight standards. BJOG, 2011: 108; 830-4.*

Divon MY et al. *Identification of the small for gestational age fetus with the use of gestational age-independent indices of fetal growth. Am J Obstet Gynecol* 1986; 155:1197

Gardosi J, Francis A. *A customized standard to assess fetal growth in a US population. Am J Obstet Gynecol* 2009; 201:25:e1-7

Gardeil F, Greene R, Stuart B, Turner MJ. *Subcutaneous fat in the fetal abdomen as a predictor of growth restriction. Obstet Gynecol* 1999; 94:209.

Grant A et al.:*Elective cesarean section versus expectant management for delivery of the small baby. Cochrane Database Syst Rev* 200(2):CD000078

Hadlock FP, Harrist RB, Sharman RS, Deter RL, Park SK: *Estimation of fetal weight with the use of head, body, and femur measurements--a prospective study. Am J Obstet Gynecol. 1985;151:333.*

Ian B. Suchet M.B.Ch FRCP (C): *The Pathology of trophoblastic invasion in <http://www.fetalultrasound.com/online/text/3-259.HTM>*

Joó JG, Rigó J Jr, Börzsönyi B, Demendi C, Kornya L. *Placental gene expression of the placental growth factor (PlGF) in intrauterine growth restriction. J Matern Fetal Neonatal Med. 2016*

Kaur S, et al. *Am J Obstet Gynecol* 2008; 199:264

Lee W, Deter RL, Sameera S, Espinoza J, Gonçalves LF, Romero R. *Individualized growth assessment of fetal thigh circumference using three-dimensional ultrasonography. Ultrasound Obstet Gynecol. 2008;31:520-8.*

Lee C, et al.: Perinatal morbidity and mortality in early-onset fetal growth restriction: cohort outcomes of the Trial of Randomized Umbilical and Fetal Flow in Europe (TRUFFLE). Ultrasound Obstet Gynecol 2013; 42: 400-408.